



# Town of Barnstable

## Board of Health

200 Main Street, Hyannis MA 02601



Office: 508-862-4644  
FAX: 508-790-6304

Paul J. Canniff, D.M.D.  
Donald A. Guadagnoli, M.D.  
Junichi Sawayanagi

### BOARD OF HEALTH MEETING AGENDA Tuesday, April 24, 2018 at 3:00 PM Town Hall, Hearing Room 367 Main Street, 2<sup>nd</sup> Floor, Hyannis, MA

Original Post: 4/18/18 2:58pm

#### I. Lifeguard Exemption Requirements

Todd Deluca, President & CEO, Greater Hyannis Chamber of Commerce.

#### II. Variance – Septic:

A. John O’Dea, Sullivan Engineering, representing Richard and Blythe Evans, owners –134 East Bay Road, Osterville, Map/Parcel 140-164, 0.86 acre parcel, one variance is requested.

B. Sean Riley, Coastal Engineering, representing Ms. Samiljan, Trustee -Assembly Required LLC, owner – 8 East Bay Road, Osterville, Map/Parcel 141-105, 1.59 acre parcel, repairing a failed septic system, multiple variances requested.

#### III. Pool – Variance for Lifeguard Deregulation Modification:

Re-open off-season variance granted: Jay Patel, General Manager/Owner, Best Western – 1470 Iyannough Road, Barnstable.

#### IV. License - Septic Installer (New):

Jason Ellis, North Eastham.

#### V. Permit – Body Artist (New):

MOVED TO Emma Zavaski, Hyannis, has taken anatomy and physiology, interested in  
MAY 22, 2018 employment at Pincushion, 600 Main Street, Hyannis

#### VI. Variance – Food:

A. Chandler Bosworth and Enrique Valdovinos, owner of Mi Pueblo – 459-B Main Street, Hyannis, Map/Parcel 308-083, requesting grease trap variance with Big Dipper Grease Recovery Device (GRD).

B. Fulya Tanyu, owner, and Kevin Dellarciprete, representing the Compass Café and the Four Points Tavern in the Hyannis Inn – 473 Main Street, Hyannis, requesting variance for seating with existing 1,000 gallon grease trap and air curtain variance for outside seating.

- C. Russell Smith, Island Twelve Restaurant and Bar – 16 Barnstable Road, Hyannis, space previously part of KKatie’s Burger Bar, Main/Barnstable Rd, Hyannis, requesting toilet facility variance and grease trap variance.

**VII. Hearing – Dumpster (Cont.) - MOVED TO MAY 22, 2018**

MOVED TO Robert Murphy, Portside Tavern – 72 North Street, Hyannis, dumpster issue,  
MAY 22, 2018 continued from December 19, 2017 meeting, results of research into plot plan.

**VIII. Policies / Regulations:**

- A. Proposed revision to Section 322-4 Toilet Facilities restroom sinks shall be equipped with hands-free plumbing fixtures (versus touchless sensor-operated plumbing fixtures).
- B. Proposed revision to Section 360-1 Location of components with respect to water bodies eliminating septic components other than soil absorption systems (i.e., septic tank).

**IX. Minutes:**

Minutes – March 20, 2018.

**X. Old / New Business:**

- A. Letter of Recommendation to the Town Council – Sale and Distribution of Recreational Marijuana